Great Lakes Water Levels and Coastal Impacts 2020

Brandon Krumwiede

Great Lakes Regional Geospatial Coordinator
CSS Inc on contract to NOAA Office for Coastal Management





Great Lakes Water Levels: Current

MARCH 2020

New record high mean water levels were set in lakes Michigan/Huron, St. Clair, and Erie.

Superior was shy by 1.57 inches Ontario was shy by 7.48 inches

Source: US Army Corps of Engineers





Great Lakes Water Levels: Inputs and Outputs

Note all basins except Lake Ontario had an increase in precipitation for March 2020

Note all basins are close to or above 100% of their average precipitation for the year

Source: US Army Corps of Engineers

PRECIPITATION (INCHES)									
	March				12-Month Comparison				
BASIN	2020	Average (1900-2017)	Diff.	% of Average	Last 12 months	Average (1900-2017)	Diff.	% of Average	
Superior	1.78	1.73	0.05	103	29.67	30.59	-0.92	97	
Michigan-Huron	2.74	2.13	0.61	129	34.51	32.52	1.99	106	
Erie	3.35	2.76	0.59	121	37.32	35.55	1.77	105	
Ontario	2.51	2.68	-0.17	94	36.57	35.83	0.74	102	
Great Lakes	2.51	2.17	0.34	116	33.75	32.76	0.99	103	

1.41/5	March WATER SU	IPPLIES ¹ (cfs)	March OUTFLOW ² (cfs)		
LAKE	2020	Average (4000-2008)	2020	Average ³ (1900-2008)	
Superior	103,000	46,000	84,000	66,000	
Michigan-Huron	265,000	183,000	251,000	172,000	
Erie	76,000	72,000	274,000	197,000	
Ontario	92,000	75,000	336,000	238,000	




Great Lakes Water Levels:

Inputs and Outputs

Wet across much of the Central US

Year to Date Precipitation Departure from Average











Lake Superior Water Levels: Storm Impacts








Comparison of Water Levels and Storm Events - Duluth, MN 9099064








DateTime


Duluth MN Verified 2019 (m)
 Superior Mean Record High (m)
 Superior LTA (m)

IGLD 1985




NOAA CO-OPS Water Level Data











NOAA CO-OPS Water Level Data





Great Lakes Water Levels: Coastal Impacts

- Shoreline Erosion
- Increased sediment transport in the littoral zone
- Alterations to stream and river mouths
- Damage to coastal infrastructure
- Flooded marinas and docks
- Hazards to navigation
- Loss of coastal terrestrial and wetland habitat
- Shrinking beaches for recreational use
- Increased impacts when storms move through
- Damage and loss of private property









Illinois Beach State Park

Coastal Erosion

Impact to coastal wetlands

Littoral sediment transport

Red - erosion

Blue - deposition







Ontario Beach Park, Rochester, NY







Digital Coast

Data, Tools, Trainings, and Resources

https://coast.noaa.gov/digitalcoast/










Duluth, MN

10/21/2019 4PM

184.33 meters 604.75 feet

> LTA 183.41 m 601.74 ft

Difference +0.92 m +3.02 ft






Buffalo, NY

11/1/2019 12AM

176.59 meters 579.36 feet

LTA 175.14 m 574.6 ft

Difference +1.45 m +4.76 ft





Great Lakes Coastal Zone Management Programs



Wisconsin Coastal Management Program





Department of State











Contact Information

Brandon Krumwiede, CGP-R, GISP brandon.krumwiede@noaa.gov (320) 290-1381

